

December 14, 2022 Work Session Minutes

Start of meeting: 12:30

Pledge of Allegiance Recited

Roll call: Maduri, Schnell, Grier, Tomak, Carlson, Fire Chief JC Holder, HLUA Brian Cook, and 9 members of the public.

- Updates from Committee and department heads
- Discussion on Septic Ordinance draft with Steve King (Central Michigan Health Department) and township attorney Stephen Schultz. – King and Schultz to consult further on draft
- Discussion on Ordinance Officer – add interview time to January Work Session
- Discussion on draft of Food Truck Ordinance – reach out to Paul Olson for insurance costs, put on January Work Session agenda
- Discussion on 90-day Probation period for Fire Chief Holder on Dec 22, 2022
- Discussion on hosting Winterfest 2023
- Discussion on re-nominating Brian Cook, Steve Collini, John Schaulk, Marie Thompson, Phil Priebe - BOR 2-year term expires 12/31/22
- Discussion on appointing alternate member(s) to ZBA – post listing on website
- Discussion on renewing membership in Muskegon River Watershed
- Discussion on BCBS renewal for February 1, 2023
- Discussion on Assessor property visits
- Discussion on Sewer Project
- Discussion on correspondence from Alma Blackburn
- Discussion on using ARPA money for Tennis Court resurfacing

Public Comments: Philip Czech – informed the board he had personally went around and removed the Sewer Support sign from the yards for the winter at the request of the person who purchased them, had several questions about the proposed Septic Ordinance, and complimented Supervisor Maduri on getting up to speed. Harry Johnson – questioned if the board was looking into doing an Ice-skating rink.

Board Comments:

Tomak: Wreaths across America is Saturday December 17th. Thanked Amvets Post 13, and Friends of Lyon Township that used residents pop can donations for purchasing the wreaths. Anyone who wishes to volunteer to put on wreaths please be at the cemetery before noon.

Meeting adjourned at 4:10 pm

Doug Schnell -Clerk

Larry Maduri - Supervisor